

27120 SW 95th Avenue
P.O. Box 570
Wilsonville, OR 97070-0570
USA
(503) 570-2500

2900 Simpson Road #1
Richmond, BC V6X 2P9
CANADA
(604) 270-0011

380 Jefferson Blvd., Unit A
Warwick, RI, 02886
USA
(401) 737-2239

915 Meyerside Drive
Mississauga, ON L5T 1R8
CANADA
(905) 564-1032

MATERIAL SAFETY DATA SHEET

EMERGENCY ASSISTANCE - 24 hour

For emergency assistance involving chemicals call CHEMTREC (800) 424-9300.

SECTION 1: MATERIAL INFORMATION

Common Name: **FORMALIN (10% NEUTRAL)**
Synonyms: Formaldehyde 3.7% Neutralized
Catalog Number: E2000, E2010, E2020, E7000, E7001, E7020, E9000, E9020, E9100, E9120, E9122, E9126, E9136, E9210, E9250, E9252, E9905, K1100, K1200, K1225,
CAS #: N/AV
WARNING: POISON, TOXIC, CARCINOGENIC

SECTION 2: HAZARDOUS INGREDIENTS

<u>Hazardous Components</u>	<u>CAS #</u>	<u>Chemical Family</u>	<u>Molecular Formula</u>	<u>Approximate Concentration</u>
Formaldehyde 37%	50-00-0	Aldehyde	CH ₂ O	10.0%

SECTION 3: PHYSICAL DATA

Appearance: Colorless Liquid	pH: N/AV	Vapor Density: N/AV
Boiling Point: N/AV	Solubility in Water: Appreciable	Flash Point: N/AV
Melting Point: N/AV	Vapor Pressure: N/AV	Evaporation Rate: N/AV
Odor: Formaldehyde	Specific Gravity: N/AV	

SECTION 4: FIRE AND EXPLOSION HAZARD

Flammable: No

Flammable Limits:

Upper: N/AP Lower: N/AP

Extinguish Media:

Water spray, CO₂, dry chemical, "alcohol" or polymer foam.
Water spray to cool exposed containers and disperse vapors.

Special Hazards:

Wear self-contained, positive-pressure breathing apparatus and full protective clothing.

Unusual Fire and Explosion Hazards:

Vapor extremely hazardous, flammable in air. Emits toxic fumes under fire conditions.

SECTION 5: REACTIVITY DATA

Stable: Unstable:

Conditions to Avoid:

Heat, sparks, open flame

Materials to Avoid:

- Water
- Acids - (Perchloric acid + aniline, performic acid)
- Bases
- Corrosives
- Oxidizers
- Other: Strong alkalis, nitrogen dioxide at 180°C, nitromethane, magnesium carbonate, hydrogen peroxide.

Hazardous Decomposition Products:

Contact with Hydrochloric Acid may form a carcinogenic compound: bis-chloromethyl ether.

SECTION 6: HEALTH HAZARD DATA

To the best of our knowledge, the chemical, physical, and toxicological properties of this mixture have not been thoroughly investigated. Presented below are specific data on each of the subcomponent ingredients:

<u>Hazardous Component</u>	<u>%</u>	<u>Threshold Limit Value</u>	<u>TXDS</u>
Formaldehyde 37%	10.0	1 ppm	ORL-HMN LDLO: 36 mg/kg IHL-HMN TCLO: 17 mg/m ³ /30 M

Effects of Overexposure (Acute and Chronic):

POISON: Use caution to prevent contact. May be fatal or cause blindness if swallowed. May cause severe burns to eyes. Vapor may cause severe respiratory irritation.

Carcinogenicity: These products contain a carcinogen at 0.1% or greater.

First Aid Procedure:

Skin Contact: Flush with water. Get medical attention if necessary for burns or dermatitis.

Eye Contact: Flush with water for 15 minutes; get immediate medical attention.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration; if breathing is difficult, give oxygen; seek medical attention.

Ingestion: Do not induce vomiting; get immediate medical attention. If conscious, dilute, inactivate, or absorb the ingested formaldehyde by giving milk, activated charcoal, or water.

In all cases of overexposure seek medical attention.

Wash contaminated clothing before reuse.

SECTION 7: SPILL OR LEAK PROCEDURES AND DISPOSAL

Steps to be taken if Material is Released or Spilled:

Ventilate area; using protective apparatus, take up with absorbent. Wash spill site after material pickup is complete.

Waste Disposal Method:

Observe all local, provincial, state, and federal regulations.

SECTION 8: SPECIAL PROTECTION INFORMATION

Provide adequate general mechanical and local exhaust ventilation.

Avoid prolonged or repeated inhalation of vapor.

Protect eyes, skin, and clothing with safety goggles and gloves.


Wash thoroughly after handling.

SECTION 9: SPECIAL HANDLING AND STORAGE PRECAUTIONS

Keep container tightly closed. Protect against physical damage. Store in a cool, dry place, separate from oxidizing and alkaline material.

SECTION 10: MSDS PREPARATION AND INFORMATION

Date Issued: 8/89
Current Revision: 1/08
Revised By: Jeff Miller

Authorized Signature:  _____

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES:

The information in this document is believed to be correct as of the date issued or revised. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE.

This information and product are furnished on the condition that the person receiving them shall make his own determination as to the suitability of the product for his particular purpose and on the condition that he assume the risk of his use thereof.

27120 SW 95th Avenue
 P.O. Box 570
 Wilsonville, OR 97070-0570
 USA
 (503) 570-2500

 2900 Simpson Road #1
 Richmond, BC V6X 2P9
 CANADA
 (604) 270-0011

 380 Jefferson Blvd., Unit A
 Warwick, RI, 02886
 USA
 (401) 737-2239

 915 Meyerside Drive
 Mississauga, ON L5T 1R8
 CANADA
 (905) 564-1032

MATERIAL SAFETY DATA SHEET

EMERGENCY ASSISTANCE - 24 hour

For emergency assistance involving chemicals call CHEMTREC (800) 424-9300.

SECTION 1: MATERIAL INFORMATION

Common Name: **PVA FIXATIVE**
Synonyms: Polyvinyl Alcohol Fixative
Catalog Number: E7000, E7001, E7020, E9000, E9020, E9100, E9120, E9136, E9905, R7106,
CAS #: N/AV
WARNING: POISON, TOXIC, FLAMMABLE

SECTION 2: HAZARDOUS INGREDIENTS

<u>Hazardous Components</u>	<u>CAS #</u>	<u>Chemical Family</u>	<u>Molecular Formula</u>	<u>Approximate Concentration</u>
Mercuric Chloride	7487-94-7	Metallic Salt	HgCl ₂	4.5%
Ethanol, denatured	64-17-5	Alcohol	C ₂ H ₅ OH	31%
Acetic Acid, Glacial	64-19-7	Organic Acid	CH ₃ COOH	5%

SECTION 3: PHYSICAL DATA

Appearance: Cloudy to clear, light yellow to colorless liquid	pH: N/AV	Vapor Density: N/AV
Boiling Point: N/AV	Solubility in Water: Appreciable	Flash Point: 23°C (73°F) cc
Melting Point: N/AV	Vapor Pressure: N/AV	Evaporation: N/AV
Odor: Pungent odor	Specific Gravity: N/AV	

SECTION 4: FIRE AND EXPLOSION HAZARD

Flammable: Yes: Flammable liquid

Flammable Limits:

Upper: N/AV Lower: N/AV

Extinguish Media:

Carbon dioxide or dry chemical for small fires.
 "Alcohol" foam or water spray for large fires.

Special Hazards:

Wear self-contained, positive-pressure breathing apparatus and full protective clothing.

Unusual Fire and Explosion Hazards:

Emits toxic fumes under fire conditions.

SECTION 5: REACTIVITY DATA

Stable: Unstable:

Conditions to Avoid:

Heat, sparks, open flame

Materials to Avoid:

- Water -
- Acids - (Strong mineral)
- Bases - (Strong)
- Corrosives -
- Oxidizers -
- Other: Metals, nitric acid, potassium, and sodium

Hazardous Decomposition Products:

Carbon dioxide, carbon monoxide, mercury

SECTION 6: HEALTH HAZARD DATA

To the best of our knowledge, the chemical, physical, and toxicological properties of this mixture have not been thoroughly investigated. Presented below are specific data on each of the subcomponent ingredients:

<u>Hazardous Component</u>	<u>%</u>	<u>Threshold Limit Value</u>	<u>TXDS</u>
Mercuric Chloride	4.5%	0.1 mg/m ³	N/AV
Ethanol, denatured	31%	1000 ppm	N/AV
Acetic Acid, Glacial	5%	10 ppm	ORL-HMNTDLO: 1470 mcg/kg

Effects of Overexposure (Acute and Chronic):

POISON: May be fatal if swallowed; 1-2g of mercuric chloride is frequently fatal. Toxic by skin absorption. May cause burns, eye damage, blindness, nausea, vomiting, inebriation headache, coughing, chest pain, stomach pain, damage of nasal and respiratory passages, mucous membranes, and throat tissue. Vapors may cause drowsiness.

Carcinogenicity: These products do not contain any carcinogens at 0.1% or greater.

First Aid Procedure:

Skin Contact: Wash with soap and copious amounts of water for at least 15 minutes.
Eye Contact: Flush with water for 15 minutes; get immediate medical attention.
Inhalation: Remove to fresh air. If not breathing, give artificial respiration; if breathing is difficult, give oxygen. Seek medical attention.
Ingestion: If conscious, induce vomiting.

Discard all contaminated clothing. In all cases of overexposure, seek medical attention immediately.

SECTION 7: SPILL OR LEAK PROCEDURES AND DISPOSAL

Evacuate and ventilate area.

Steps to be taken if Material is Released or Spilled:

Adjust the acidity and precipitate as mercuric sulfide. Pick up using an absorbent material and place in closed container. Wash area and put washings in closed container.

Waste Disposal Method:

Observe all local, provincial, state, and federal regulations.
 Treat as toxic waste. Contains Mercury. Don't put in regular waste stream. Recycle as hazardous waste.

SECTION 8: SPECIAL PROTECTION INFORMATION


Protect eyes, skin, and clothing; use eye protection and gloves.
 Wash thoroughly after handling.

SECTION 9: SPECIAL HANDLING AND STORAGE PRECAUTIONS

Keep containers tightly closed. Store in cool, dry, area away from heat, sparks and open flame. Protect from physical damage. Wash hands after handling.

SECTION 10: MSDS PREPARATION AND INFORMATION

Date Issued: 8/89
Current Revision: 1/08
Revised By: Jeff Miller

Authorized Signature:  _____

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES:

The information in this document is believed to be correct as of the date issued or revised. **HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE.**

This information and product are furnished on the condition that the person receiving them shall make his own determination as to the suitability of the product for his particular purpose and on the condition that he assume the risk of his use thereof.



NON-HAZARDOUS STATEMENT
MISC # 420

To Whom It May Concern:

To the best of our knowledge, the following items contain no hazardous constituents or the concentration of all chemical constituents is below the regulatory threshold limits described by Occupational Safety Health Administration Hazard Communication Standard 29 CFR 1910.1200. These products do not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. When used and handled according to specifications, these products do not have any harmful effects according to our experience and the information provided to us. These products are not subject to identification regulations pertaining to regulations on hazardous materials.

Catalog No.:	Item Description:
C1500	CONTROL SLIDES, AFB
C1501	CONTROL SLIDES, AFB
C1600	CONTROL SLIDES, GRAM
C1601	CONTROL SLIDES, GRAM
E1000-	ENTERIC PATHOGEN TRANSPORT (EPT)
E1060	in various configurations
F5820	STAT UREASE TEST KIT
M0000-	MIC PANELS
M9999	
R5920	METHYLENE BLUE COUNTERSTAIN 250ML
R5921	METHYLENE BLUE 1 LITER
R6181	OADC ENRICHMENT 100ML
R6183	OADC ENRICHMENT 200ML
R6184	OADC ENRICHMENT 20ML
R6270	ADC ENRICHMENT 100ML
R6660	PHOSPHATE BUFFER M15 500ML
R6685	SODIUM CITRATE 250ML
R6665	PORPHYRIN SUBSTRATE
R9101	UREA AGAR BASE
S7162	DEODORIZERS, VARIOUS

Current Revision: 1/08

Disclaimer:

The information, data, and recommendations contained herein are believed to be accurate. PML Microbiologicals Inc., makes no warranty of any kind whatsoever with respect thereto and disclaims all liability from reliance thereon. We reserve the right to revise this information periodically as new information becomes available.